

CAGAYAN STATE UNIVERSITY – CARIG CAMPUS

Carig Sur, Tuguegarao City, Cagayan

Bids and Awards Committee

Tel. No. (078) 396 0569 loc. 018

Email Address: bacsecretariat@csucarig.edu.ph

Website: www.csucarig.edu.ph



REQUEST FOR QUOTATION

For **Small Value Procurement** under **Sec. 52.1** and **Sec. 53.9** and **Shopping** under **Sec. 52.1 (b)** of the Revised IRR of R.A. 9184 Series of 2025

Quotation No: QN02-2025-03-0022
PR Number: 2025-03-0274
Date: MARCH 18, 2025

The **Cagayan State University - Carig Campus** is pleased to invite you to quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by you, or by your authorized representative **not later than three (3) days** to the BAC Secretariat Office, located at the side of the Red Eagle Gymnasium, CSU Carig Campus or email to bacsecretariat@csucarig.edu.ph.

CONDITIONS:

- 1 Quotation is **INCLUSIVE OF DELIVERY COST, TAX, AND INFLATION RATE.**
- 2 Delivery must NOT be more than **sixty (60) calendar days** upon receipt of Notice of Award/Purchase Order/ Job Order.
- 3 Price validity shall be for a period of **sixty (60) calendar days.**
- 4 Warranty shall be for a period of **one (1) year** from acceptance of the procuring entity, *if applicable.*
- 5 **BRANDS and SPECIFICATIONS** of the product offered must be indicated in this Request for Quotation.

MAC JOYANT LAGUNDI
BAC Chairperson

Dear Sir/Ma'am;

After having carefully read and accepted your conditions as listed above, I/We quote you on the item at the following prices, to wit:

ITEM #	PARTICULARS/ GENERAL DESCRIPTION	SPECIFICATIONS	BRAND OFFERED, if applicable	QTY.	UNIT	UNIT PRICE	TOTAL
1	Digital Oscilloscope	Siglent SDS814X HD: 100 MHz Bandwidth Frequency, 4 Channel, 12-bit high resolution, Real-time sampling rate up to 2 GSa/s, Memory depth up to 50 Mpts, Waveform capture rate up to 500,000 wfm/s (Sequence mode), 7-inch touch screen, support for external mouse and keyboard		1	pcs		
2	Stereo Microscope for general electronics and circuit board repair	Bresser 58-02520 Stereo Microscope Magnification Power: 10 X → 20X Illuminated: Yes Illumination Type: LED Weight: 6.4kg Dimensions: 130 x 450 x 490mm Diameter: 130mm Plug Type: CEE 7/7 Length: 450mm		1	pcs		
3	12 Pin Data Pogo Pin Connector (MALE)	SD-DATA-12-SCL spring contact side No. of contacts: 12 Maximum travel: 2.6mm Recommended travel (Max): 2.05mm Recommended travel (Min): 1.55mm Spring force at recommended travel (Max): 540g (12 pins) Current rating DC (max): 0.5 amps DC cont; per pin. Material; spring contact & land: Gold plated brass Operating temperature range: -40 to +150°C Operating frequency range: 0 to 200 MHz With gasket		15	pcs		
4	12 Pin Data Pogo Pin Connector (FEMALE)	SD-DATA-12-L land side No. of contacts: 12 Maximum travel: 2.6mm Recommended travel (Max): 2.05mm Recommended travel (Min): 1.55mm Spring force at recommended travel (Max): 540g (12 pins) Current rating DC (max): 0.5 amps DC cont; per pin. Material; spring contact & land: Gold plated brass Operating temperature range: -40 to +150°C		15	pcs		

CAGAYAN STATE UNIVERSITY – CARIG CAMPUS

Carig Sur, Tuguegarao City, Cagayan

Bids and Awards Committee

Tel. No. (078) 396 0569 loc. 018

Email Address: bacsecretariat@csucarig.edu.ph

Website: www.csucarig.edu.ph



		Operating frequency range: 0 to 200 MHz With Gasket							
<i>Purpose:</i>								TOTAL AMOUNT:	

Canvassed as: per item per lot

I hereby bind myself and certify to comply with the above Technical Specifications and Schedule of Requirements.

Name of Business: _____

Name of Authorized Representative: _____

Signature: _____

Contact No.: _____

Email Address: _____

TIN (please indicate if VAT or Non-VAT): _____

PhilGEPS Registration: _____

DOCUMENTARY REQUIREMENTS:

- Copy of PhilGEPS Registration Certificate; OR Class A Documents (a) DTI/SEC/CDA Registration Certificate; b) BIR Registration; c) Tax Clearance);
- Copy of Updated Mayor's/Business Permit;
- Omnibus Sworn Statement (for ABC above Php 50,000.00) (see attached Annex A)

Name & Signature of Canvasser