

CAGAYAN STATE UNIVERSITY – CARIG CAMPUS

Carig Sur, Tuguegarao City, Cagayan

Bids and Awards Committee

Tel. No. (078) 396 0569 loc. 018

Email Address: bacsecretariat@csucarig.edu.ph

Website: www.csucarig.edu.ph



REQUEST FOR QUOTATION

For **Small Value Procurement** under **Sec. 52.1** and **Sec. 53.9** and **Shopping** under **Sec. 52.1 (b)** of the Revised IRR of R.A. 9184 Series of 2025

Quotation No: QN02-2025-03-0041
PR Number: 2025-03-0235
Date: MARCH 31, 2025

The **Cagayan State University - Carig Campus** is pleased to invite you to quote your lowest price on the item/s listed below, stating the shortest time of delivery and submit your quotation duly signed by you, or by your authorized representative **not later than three (3) days** to the BAC Secretariat Office, located at the side of the Red Eagle Gymnasium, CSU Carig Campus or email to bacsecretariat@csucarig.edu.ph.

CONDITIONS:

- 1 Quotation is **INCLUSIVE OF DELIVERY COST, TAX, AND INFLATION RATE.**
- 2 Delivery must NOT be more than **seven (7) calendar days** upon receipt of Notice of Award/Purchase Order/ Job Order.
- 3 Price validity shall be for a period of **sixty (60) calendar days.**
- 4 Warranty shall be for a period of **one (1) year** from acceptance of the procuring entity, *if applicable.*
- 5 **BRANDS and SPECIFICATIONS** of the product offered must be indicated in this Request for Quotation.

MAC GIOVANNI LAGUNDI
BAC Chairperson

Dear Sir/Ma'am;

After having carefully read and accepted your conditions as listed above, I/We quote you on the item at the following prices, to wit:

ITEM #	PARTICULARS/ GENERAL DESCRIPTION	SPECIFICATIONS	BRAND OFFERED, if applicable	QTY.	UNIT	UNIT PRICE	TOTAL
1	Mid-Drive Electric Motor Kit (inclusion: • Motor Controller and accessories • Throttle assembly with switches • LCD Panel)	3000W (3kW) Mid Drive Motor (19:45 reduction gear box inside) - Motor Type: 138 DC Brushless Permanent Magnet Motor, PMSM - Motor Design: Mid Drive with Single Axle - Motor Shaft: Spline Shaft. - Magnet: strong V magnet 70H. - Diameter of Motor: 162mm - Length of Motor: 231mm. - Power: 3000W - Recommended Work Voltage: DC 72V. - Rotating: maximum 1900rpm – 2500rpm (after reduction) - Torque: 35N.m to 55N.m. - Maximum Torque: more than 120N.		1	Piece		
2	Mid-Drive Electric Motor Kit (inclusion: • Motor Controller and accessories • Throttle assembly with switches • LCD Panel)	Motor Type: PMSM Inner Rotor Motor Motor Design: Single axle Magnet Height: 90mm, 5 pole pairs Motor Gear ratio: 1:2.35 Rated Power: 4000W (4kW) Peak power: 13.5kW Rated Voltage: 72V Speed: 4800 RPM with Flux Weakening: 7000RPM Rated Torque: 32N.m Max Torque: 150N.m		1	Piece		

CAGAYAN STATE UNIVERSITY – CARIG CAMPUS

Carig Sur, Tuguegarao City, Cagayan

Bids and Awards Committee

Tel. No. (078) 396 0569 loc. 018

Email Address: bacsecretariat@csucarig.edu.ph

Website: www.csucarig.edu.ph



		<p>Cooling method; Air cooling Max efficiency: 90% Rated Current: 60A Max bus current: 200A Working Temperature: 70-120C, peak 150C Hall Sensor: Single Hall Set with Waterproof connectors Phase Wire: 20mm Cross section Water proof grade: IP67 Color: Black</p>				
3	<p>Hub-Drive Electric Motor Kit</p> <p>(inclusion: • Motor Controller and accessories • Throttle assembly with switches • LCD Panel</p>	<p>6000W (6kW) BLDC Hub Motor with Permanent Magnets Motor design: Spoke Motor with Double axle out Spoke Hole: 36pcs*4.2mm Matching Wheel: 17inch-21 inch spoke wheel Magnet Height: 45MM Pole Pairs: 16 pairs Rated Power: 6000W Max Power:7905W(Peak 12000W) Rated Voltage: 72V(72-144V Can be optional) Max No-load RPM:1339RPM Max Torque: 200N.M Max Efficiency: 90% Continuous current:91A Max current:119A ,Peak 180A Brake type: Disc brake Winding Frame material: Aluminium Hall sensor phasing angle: 120 degree Temperature Sensor: Optional Working Temperature: 70 degree, Peak 150 degree Waterproof Grade: IP66</p>		1	Piece	
4	<p>Mid-Drive Electric Motor Kit</p> <p>(inclusion: • Motor Controller and accessories • Throttle assembly with switches • LCD Panel)</p>	<p>Magnetic Structure: Permanent Magnet Operating Voltage;48-96V Rated Power: 4000W Transmission Type: Chain Cooling: Air Cooling Sensor Type: Magnetic Encoder Sensor Color: Black IP Rating: IP67</p>		1	Piece	
5	<p>Hub-Drive Electric Motor Kit</p>	<p>Motor Type: Brushless Direct Current Motor(BLDC Motor) Product Name: 17inch 72V 5000w dc hub motor</p>				

CAGAYAN STATE UNIVERSITY – CARIG CAMPUS

Carig Sur, Tuguegarao City, Cagayan

Bids and Awards Committee

Tel. No. (078) 396 0569 loc. 018

Email Address: bacsecretariat@csucarig.edu.ph

Website: www.csucarig.edu.ph



	(inclusion: • Motor Controller and accessories • Throttle assembly with switches • LCD Panel	Voltage(V): 72v Rated Power: 5000w Rim Size: 108mm Efficiency: 90% Usage Electric Motorcycle Waterproof Grade: IP65 COLOR: Black		1	Piece		
TOTAL AMOUNT:							
<i>Purpose: ELECTRIC MOTORS TO BE USED ON CTRIKE</i>							

Canvassed as: per item per lot

I hereby bind myself and certify to comply with the above Technical Specifications and Schedule of Requirements.

Name of Business: _____
 Name of Authorized Representative: _____
 Signature: _____
 Contact No.: _____
 Email Address: _____
 TIN (please indicate if VAT or Non-VAT): _____
 PhilGEPS Registration: _____

DOCUMENTARY REQUIREMENTS:

- Copy of PhilGEPS Registration Certificate; OR Class A Documents (a) DTI/SEC/CDA Registration Certificate; b) BIR Registration; c) Tax Clearance);
- Copy of Updated Mayor's/Business Permit;
- Omnibus Sworn Statement (for ABC above Php 50,000.00) (see attached Annex A)

Name & Signature of Canvasser